

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|------------------|
| S1 | 1 | ("20050071345").PN. | US-PGPUB; USPAT; USOCR; EPO | OR | OFF | 2006/07/25 10:13 |
| S2 | 4 | ((("6529909") or ("6615204") or ("6728694") or ("6728726"))).PN. | US-PGPUB; USPAT; USOCR; EPO | OR | OFF | 2006/07/25 11:09 |
| S3 | 85 | attribute with table with object same repository | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/25 11:11 |
| S4 | 2 | attribute with table with object same custom same repository | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/25 11:28 |
| S5 | 3 | custom with attribute with table same repository | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/25 11:30 |
| S6 | 86 | custom with attribute with table | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/25 11:30 |
| S7 | 31 | custom with attribute with table and repository | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/25 14:51 |
| S8 | 0 | partition adj attribute same object same extensibility | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/25 16:04 |
| S9 | 7 | partition adj attribute same object | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/25 14:53 |
| S10 | 14 | partition\$3 adj attribute same object | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/25 14:56 |

EAST Search History

| | | | | | | |
|-----|------|--|--|----|----|------------------|
| S11 | 2 | partition\$3 adj attribute same object and extensib\$ | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/25 15:27 |
| S12 | 35 | user adj data with map same object | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/25 16:03 |
| S13 | 1 | extend adj existing adj object adj type | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/25 16:04 |
| S14 | 18 | object adj extensibil\$3 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/25 16:06 |
| S15 | 2349 | object same extensibil\$3 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/25 16:36 |
| S16 | 947 | object with extensibil\$3 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/25 16:36 |
| S17 | 18 | object with extensibil\$3 same custom | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/25 16:36 |
| S18 | 37 | attribute adj table and custom adj attribute and object | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 13:39 |
| S19 | 57 | attribute adj table and (custom or user adj defined) adj attribute and object | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 13:40 |
| S20 | 12 | attribute adj table same (custom or user adj defined) adj attribute and object | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 13:50 |

EAST Search History

| | | | | | | |
|-----|------|---|--|----|----|------------------|
| S21 | 1021 | object adj type with attribute | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 13:53 |
| S22 | 114 | object adj type with attribute with table | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 13:53 |
| S23 | 2 | custom with object adj type with attribute with table | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 13:54 |
| S24 | 3 | (user adj defined or custom) with object adj type with attribute with table | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 13:55 |
| S25 | 25 | (user adj defined or custom) with object adj type with attribute | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 14:03 |
| S26 | 120 | store with (user adj defined or custom) with ((object adj type) or attribute) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 14:03 |
| S27 | 120 | store with ((user adj defined) or custom) with ((object adj type) or attribute) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 14:05 |
| S28 | 1 | store with ((user adj defined) or custom) with ((object adj type) with attribute) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 14:04 |
| S29 | 33 | store with ((user adj defined) or custom) adj2 ((object adj type) or attribute) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 14:12 |
| S30 | 222 | extensible adj object | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 14:13 |

EAST Search History

| | | | | | | |
|-----|------|---|--|----|----|------------------|
| S31 | 14 | extensible adj object same attribute | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 14:17 |
| S32 | 2 | separate adj table with (custom or (user adj defined) adj (attribute or field or object)) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 14:19 |
| S33 | 2745 | table with (custom or (user adj defined) adj (attribute or field or object)) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 14:20 |
| S34 | 17 | table with (custom or (user adj defined) adj (attribute or field or object)) with data adj type | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 14:25 |
| S35 | 10 | copy adj (custom\$4 or (user adj defined)) with (attribute or object) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 14:28 |
| S36 | 0 | copy adj (custom or (user adj defined)) with (attribute or object adj type) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 14:31 |
| S37 | 17 | copy with (custom or (user adj defined)) with (attribute or object adj type) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 14:36 |
| S38 | 274 | (custom or (user adj defined)) with store with table | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 14:42 |
| S39 | 323 | (custom or (user adj defined)) with store with (table or repository) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 16:02 |
| S40 | 14 | (custom or (user adj defined)) with attribute with store with (table or repository) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 14:46 |

EAST Search History

| | | | | | | |
|-----|---------|--|--|----|----|------------------|
| S41 | 4 | "custom attribute table" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 14:47 |
| S42 | 2113755 | custom adj(column or attribute or field) with custom (table or class) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 15:47 |
| S43 | 4 | custom adj(column or attribute or field) with custom adj (table or class) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 16:13 |
| S44 | 481 | custom with (column or attribute or field) with custom with (table or class) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 16:15 |
| S45 | 6 | separate with (custom or (user adj defined)) with store with (table or repository) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 16:07 |
| S46 | 1 | configuration adj table with custom with attribute | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 16:11 |
| S47 | 0 | configuration adj table with custom adj data | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 16:11 |
| S48 | 4002 | configuration adj table | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 16:11 |
| S49 | 6 | configuration adj table with custom | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 16:11 |
| S50 | 4 | custom adj(column or attribute or field) same custom adj (table or class) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 16:13 |

EAST Search History

| | | | | | | |
|-----|------|--|--|----|-----|------------------|
| S51 | 309 | custom with (column or attribute or field) with custom with (table or class) with table | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 16:17 |
| S52 | 20 | custom with (column or attribute or field) with custom with (table or class) with table same store | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 16:28 |
| S53 | 46 | table with "same data type" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 16:21 |
| S54 | 20 | custom with (column or attribute or field) with custom with (table or class) with extend | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 17:07 |
| S55 | 4724 | (object or table or database) near extension | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 17:07 |
| S56 | 7115 | (object or table or database) near extensi\$3 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 17:10 |
| S57 | 91 | (object or table or database) near extensi\$3 with attribute | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 17:13 |
| S58 | 16 | (object or table or database) near extensi\$3 with custom | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/26 17:13 |
| S59 | 1 | ("20050071345").PN. | US-PGPUB; USPAT; USOCR; EPO | OR | OFF | 2006/07/27 11:45 |
| S60 | 31 | upgrad\$3 same copy with table | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/27 13:35 |

EAST Search History

| | | | | | | |
|-----|------|--|--|----|----|------------------|
| S61 | 0 | upgrad\$3 same copy with table adj data | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/27 13:37 |
| S62 | 1060 | copy with table near2 data | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/27 13:37 |
| S63 | 2 | copy with table near2 data same upgrad\$3 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/27 13:47 |
| S64 | 63 | copy with table near2 data same (upgrad\$3 or version) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/27 13:38 |
| S65 | 2 | (copy or replica\$2) with table near2 data same upgrad\$3 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/27 13:49 |
| S66 | 3 | (copy or replica\$2) same table near2 data same upgrad\$3 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/27 17:00 |
| S67 | 1023 | (copy or replica\$2) same table near2 database | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/27 17:01 |
| S68 | 219 | (copy or replica\$2) same table near2 database and upgrad\$3 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/27 17:02 |
| S69 | 106 | (copy or replica\$2) with table near2 database and upgrad\$3 | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/27 17:03 |
| S70 | 53 | (copy or replica\$2) with table near2 database and upgrad\$3 with (application or program) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2006/07/27 17:03 |